

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT	114 and lsi	0	<u>L15</u>
USPT	111 and layout	9	<u>L14</u>
PGPB	capacitor same (logic adj gate) same capacitance same load	1	<u>L13</u>
JPAB,EPAB,DWPI,TDBD	capacitor same (logic adj gate) same capacitance same load	6	<u>L12</u>
USPT	capacitor same (logic adj gate) same capacitance same load	36	<u>L11</u>
PGPB,JPAB,EPAB,DWPI,TDBD	18 and lsi	1	<u>L10</u>
USPT	17 and lsi	2	<u>L9</u>
PGPB,JPAB,EPAB,DWPI,TDBD	(drive adj load adj capacity)	12	<u>L8</u>
USPT	(drive adj load adj capacity)	6	<u>L7</u>
USPT	14 and (drive adj load adj capacity)	0	<u>L6</u>
PGPB,JPAB,EPAB,DWPI,TDBD	13 and (drive adj load adj capacity)	0	<u>L5</u>
USPT	11 and capacitance	30	<u>L4</u>
PGPB,JPAB,EPAB,DWPI,TDBD	12 and capacitance	9	<u>L3</u>
PGPB,JPAB,EPAB,DWPI,TDBD	lsi adj2 layout	254	<u>L2</u>
USPT	lsi adj2 layout	112	<u>L1</u>

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	3	((("6204694") or ("5815017") or ("5940333"))).PN.	USPAT; US-PGP UB; EPO; JPO	2002/01/09 09:34
2	BRS	L6	3	438/19 and capacitance	USPAT; US-PGP UB; EPO; JPO	2002/01/09 09:36
3	BRS	L11	56	438/129 and capacitance	USPAT; US-PGP UB; EPO; JPO	2002/01/09 09:37
4	BRS	L16	41	438/599 and capacitance	USPAT; US-PGP UB; EPO; JPO	2002/01/09 09:37

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)**Search Results -**

Terms	Documents
114 and lsi	0

Database:

US Patents Full-Text Database	▲
US Pre-Grant Publication Full-Text Database	
JPO Abstracts Database	
EPO Abstracts Database	
Derwent World Patents Index	
IBM Technical Disclosure Bulletins	▼

[Refine Search:](#)[Clear](#)**Search History****Today's Date: 1/9/2002**